

Observer Call Worksheet

Check ALL THAT APPLY, fill-in blanks, and circle specifics if applicable.

Why was 911 called? _____

Safety:

Scene: Staged Scene vests Nobody left alone Recognize increasing agitation & de-escalate
Provider safety: Gloves Face shields Crew seatbelted Secured loose thing in back Radio used
Patient safety: At least two people on cot at all times Patient seatbelted

Neurological:

LOC: A V P U *Orientation:* person place time event responsive, not oriented
GCS: Eyes: 1 2 3 4 Verbal: 1 2 3 4 5 Motor: 1 2 3 4 5 6
Pupils: PERRL Dilated Constricted Unequal Unresponsive to light
Vital Signs: Last known normal time: _____ Blood glucose: _____
Affect: Calm Agitated Lethargic Slow to respond Inattentive Labile (sudden changes)
Symptoms: Headache Dizziness Nausea Weakness Unilateral deficits Vision changes

Airway:

Speech: Talking Altered phonation (speaking) Abnormal sound/stridor Cannot make noise
Mentation: Alert enough to protect own airway Decreased level of consciousness
Obstruction: Patient position closing airway Secretions/blood Vomiting Trauma Swelling
Interventions: Positioning Adjunct: OPA, NPA, King Airway, Intubation Suction

Breathing:

Vital Signs: Respiratory Rate: _____ O₂ Saturation: _____ End Tidal CO₂: _____
Speech: Speaking full sentences without pause Short sentences/phrases Single words
Work of breathing: Accessory muscle use Deep Shallow Coughing with/without sputum
Breath sounds: Clear Equal/unequal Adventitious: wheezing, crackles, rhonchi Diminished
Interventions: Positioning Oxygen: _____ lpm Ventilation Nebulized medication CPAP

Circulation:

Vital Signs: Heart Rate _____ Regular: Y / N Radial pulse quality _____ Blood Pressure: _____
Skin: Appropriate color Pale Gray Cyanotic Warm Cool Dry Moist Diaphoretic
Bleeding: Location: _____ Severity: mild/moderate/severe Suspicious for internal bleeding
Interventions: 12-lead Warmth Bleeding control Aspirin CPR

Operations: Transfer of care from first responder Directed bystanders Emergent transport

Requested additional resources: _____ Refusal of care discussed Public service
 Hospital notified 15 minutes prior to arrival Hospital Alert: Sepsis, STEMI, Alpha, Beta, Stroke
How patient was moved to the ambulance (Reeves, scoop stretcher, etc): _____

Sick or Not Sick? <- what do you think? Choose one.

Threat to ABCs Vital signs abnormal for context Life-threatening differential Declining condition
 Decreased mental status Provider discretion (patient just looked terrible?)/Other

At least one question you have about the call and asked somebody about: